

City of Boonville
Council Meeting Agenda

April 19, 2021

7:00 p.m.

City Council Chambers

525 E. Spring Street

Boonville MO 65233

- Meeting will be open to the public; however, social distancing will be practiced. If you feel unwell or have the following symptoms (fever, cough, or shortness of breath) please do not enter. You may view the live stream of the meeting at <https://www.youtube.com/user/cityofboonvillemo> and on channel 3 with Suddenlink Cable TV.
 - If you are unable to attend the meeting due to an illness, and you have a public comment that you would like to present to the council, please contact Teresa Studley, City Clerk, before 4pm on the day of the Council Meeting, at (660) 882-2332 or by email at teresa.studley@boonville-mo.org. Your statement will be read during the hearing of citizens' comments.
-

I. Call to order – Pledge and Prayer (Steve Young)

II. Roll call

III. Hearing of Citizens' Comments

- **Presentation of Medals to Boonville Police Officers**

IV. Approval of the Minutes of the April 13, 2021 Council Meeting

V. Consent Items.

- a) None.

VI. Presentation of Accounts and Claims

VII. Unfinished Business

- A) Second Reading of Bill No. 2021-015 Authorizing a Lease Financing to Refund the City's Taxable Certificates of Participation (Build America Bonds) Series 2010B and Series 2013 Certificates

VIII. New Business

- A) Consider Street Closure and Parking Restriction Request for Saints Peter and Paul School Field Day for May 4, 2021 with a rain date of May 6, 2021**
- B) Consider Purchase of Patrol Vehicle for Police Department**
- C) Consider Resolution R2021-04 Approving an Agreement with Remsel Corporation for Boone Point Sewer Extension**

IX. Reports of Standing Committees

- A) Police Board – April 12, 2021 (Theresa Hurt)**
- B) Planning and Zoning Commission – April 13, 2021 (Whitney Venable)**

X. Reports of City Officials

- A) City Administrator**
- B) Mayor**
 - Committee Appointments
- C) City Clerk**

XI. Miscellaneous

XII. Closed Session RSMO 610.021 (2) Real Estate

XIII. Adjourn

NOTICE: The City of Boonville will comply with the Americans with Disabilities Act (ADA). Individuals who require an accommodation due to disability to attend this meeting should contact our office at (660) 882-2332 or Relay Missouri, 1-800-735-2966 TTY at least 48 hours in advance.



BOONVILLE, MISSOURI POLICE DEPARTMENT LETTER OF COMMENDATION LIFE SAVING AWARD

On December 28, 2020 at 11:23 P.M. Officers were dispatched to 307 McRoberts Street for a structure fire with an unresponsive person possibly trapped inside.

Officers breached the front door and made entry to locate the female inside but were pushed back by heavy smoke. Officers then went to the back door of the residence and breached it as well. After making entry the female was located near the back-door unconscious and unresponsive. Mr. Roberts came to the assistance of the officers and helped remove the female from the residence. His assistance was greatly appreciated by the officers who wish to acknowledge his efforts.

CPR was performed on the female until medics arrived app. two minutes later. The female had started to respond by the time medics took over her care. She was able to communicate with the medics and was transported for treatment and is in stable condition.

Mr. Roberts quick response, recognition of the emergency and immediate actions resulted directly in saving the life of the female. Failure to act or delay could have led to a different outcome.

Your actions reflect highly, not only upon yourself, but your family and your actions should be commended.

**THROUGH THE AUTHORITY VESTED IN THE CHIEF OF
POLICE, YOU ARE AWARDED THIS COMMENDATION ON THIS
DATE of April 19, 2021**

Bobby Welliver

Chief of Police



BOONVILLE, MISSOURI POLICE DEPARTMENT LETTER OF COMMENDATION LIFE SAVING AWARD

On December 8, 2020 at 11:23 P.M. Ptl. Courtland Ross was on general patrol near Bingham and Eleventh Streets when a vehicle pulled over and asked for assistance for a child that was not breathing.

Ptl. Ross immediately contacted Dispatch for medical services. Ptl. Ross noticed the child was blue in color and not breathing. He initiated two back blows to the baby and the child began breathing.

Ptl. Ross's quick response, recognition of the medical emergency and immediate actions resulted directly in saving the life of the child. Failure to act or delay could have led to a different outcome.

Your actions reflect highly, not only upon yourself, but also on the image and reputation of the Boonville, Missouri Police Department.

**THROUGH THE AUTHORITY VESTED IN THE CHIEF OF
POLICE, YOU ARE AWARDED THIS COMMENDATION ON THIS
DATE 12/28/2020**

Bobby Welliver

Chief of Police



BOONVILLE, MISSOURI POLICE DEPARTMENT LETTER OF COMMENDATION LIFE SAVING AWARD

On December 28, 2020 at 11:23 P.M. Sgt. Maggie Schanzmeyer, Cpl. Michael. Moore, Ptl. Clinton Barger, and Ptl. Taylor Werkmeister were dispatched to 307 McRoberts Street for a structure fire with an unresponsive person possibly trapped inside.

Officers breached the front door and made entry to locate the female inside but were pushed back by heavy smoke. Officers then went to the back door of the residence and breached it as well. After making entry the female was located near the back-door unconscious and unresponsive. She was immediately taken outside by the officers and a neighbor who had arrived to assist.

Sgt. Schanzmeyer performed CPR on the female until medics arrived app. two minutes later. The female had started to respond by the time medics took over her care. She was able to communicate with the medics and was transported for treatment and is in stable condition.

The Officers quick response, recognition of the emergency and immediate actions resulted directly in saving the life of the female. Failure to act or delay could have led to a different outcome.

Your actions reflect highly, not only upon yourself, but also on the image and reputation of the Boonville, Missouri Police Department.

**THROUGH THE AUTHORITY VESTED IN THE CHIEF OF
POLICE, YOU ARE AWARDED THIS COMMENDATION ON THIS
DATE: April 19, 2021**

Bobby Welliver

Chief of Police

DRAFT COPY PENDING CITY COUNCIL REVIEW AND APPROVAL

City of Boonville
Sine Die Meeting
City Council Meeting Minutes
April 13, 2021

The Boonville City Council met in Regular Session on April 13, 2021 at 7:00 p.m. in the Council Chambers located at 525 East Spring Street, Boonville Missouri. The following officers were present: Ned Beach, Mayor; Kate Fjell, City Administrator; Teresa Studley, City Clerk; and Randy Ayers, Sergeant at Arms. Doug Abele, Interim City Counselor, was absent.

NOTICE POSTED: Thursday, April 9, 2021 at 4:24 p.m.

CALL TO ORDER – PLEDGE AND PRAYER

The meeting was called to order and Michael Stock led the prayer, after the pledge of allegiance.

ROLL CALL

The following Council Representatives were present, sitting distantly from each other: Michael Stock, Steve Young, Susan Meadows, Curtis Robertson, Morris Carter, Whitney Venable, and Albert Turner. Council Representative Theresa Hurt was absent.

HEARING OF CITIZENS' COMMENTS

None.

APPROVAL OF THE MINUTES OF THE APRIL 5, 2021 COUNCIL MEETING

The minutes were approved as presented.

CONSENT ITEMS

None.

PRESENTATION OF ACCOUNTS AND CLAIMS

Ms. Studley stated that the ordinance was placed at the Council's seats and available for viewing online. Ms. Studley read the ordinance appropriating money, in its entirety, and a second time, by title only, since a copy of the ordinance had been made available prior to the meeting. Mr. Carter moved, and Mr. Venable seconded the motion for approval of the ordinance. Roll call was taken. Ayes: Stock, Young, Meadows, Robertson, Carter, Venable, and Turner. Total (7). Opposed: None. Total (0). Absent: Hurt. Total (1). Motion Carried.

UNFINISHED BUSINESS

None.

NEW BUSINESS

FIRST AND SECOND READING OF BILL NO. 2021-016 ACCEPTING THE RESULTS OF THE APRIL 6, 2021 BOONVILLE MUNICIPAL ELECTION

Ms. Studley read the bill, in its entirety, and a second time by title only, since a copy of the ordinance had been made available prior to the meeting. Mr. Carter moved, and Mr. Stock seconded the motion to approve the election results. With no discussion, roll call was taken. Ayes: Stock, Young, Meadows, Robertson, Carter, Venable, and Turner. Total (7). Opposed: None. Total (0). Absent: Hurt. Total (1). Motion Carried.

2020-2021 COUNCIL ADJOURNMENT (SINE DIE)

With no further discussion, Mayor Beach entertained a motion to adjourn the 2020-2021 City Council. Mr. Young moved, and Mr. Robertson seconded the motion to adjourn the 2020-2021 City Council. Ayes: Stock, Young, Meadows, Robertson, Carter, Venable, and Turner. Total (7). Opposed: None. Total (0). Absent: Hurt. Total (1). Motion Carried.

SWEARING IN OF NEWLY ELECTED OFFICIALS

City Clerk, Teresa Studley, administered the Oath of Office to the newly elected officials for 2021-2022: City Attorney, Brad Wooldridge; Council Representatives Michael Stock (Ward 1); Albert Turner (Ward 2); Whitney Venable (Ward 3); and Barry Elbert (Ward 4).

CALL NEW COUNCIL TO ORDER

Mayor Beach called the 2021-2022 Council to order.

ELECTION OF MAYOR PRO TEM

Mayor Beach opened the floor for nominations from the Council for Mayor Pro Tem. Mr. Young nominated Ms. Susan Meadows with Mr. Stock seconded the nomination. No further nominations were offered. Mayor Beach called for a show of hands. It was unanimous. Ms. Meadows will be Mayor Pro Tem for Fiscal Year 2021-2022.

REPORTS OF STANDING COMMITTEES

None.

REPORTS OF CITY OFFICIALS

CITY ADMINISTRATOR

Ms. Fjell informed the Council that we are now implementing new City email for the City Council. All of the City Council will now have a City email address which will assist the City with email retention. Ms. Fjell stated that a how-to packet was available for each Council member to get them signed on and if anyone had any trouble to contact City Hall for assistance.

MAYOR

No report was offered.

MISCELLANEOUS

Mr. Turner inquired if there was any update with Waste Management and trash pick-up. Mr. Jeff Ditto, Director of Public Works, stated that following the last Council meeting he met with the area manager, Nick Golder, to discuss the problems. Mr. Ditto reported that the trash company is trying to hire four new employees and they have a truck that is broken down. Mr. Ditto advised that thus far for bulk week pick-up, the Public Works office had not received any complaints.

ADJOURN

With no further discussion, Mr. Stock moved, and Mr. Young seconded the motion to adjourn the meeting at 7:14 p.m. and the voice vote was unanimous.

Respectfully Submitted,

Teresa Studley, City Clerk

Approved:

Ned Beach, Mayor

ORDINANCE APPROPRIATING MONEY

Be it Ordained by the Council of the City of Boonville as follows:

Section 1: For the purpose of paying salaries and various accounts against the City of Boonville, which have been allowed by the Council, at the regular meeting thereof on **April 19, 2021** the sum of **\$476,196.98**

General Fund	\$272,106.51
Sanitation	\$25,473.91
CIP Tax	\$8,431.01
Water Works	\$114,009.17
Capital Projects	\$0.00
Waste Water	\$40,916.99
Tourism	\$4,948.65
Gaming	\$7,535.77
Parks/Water	\$0.00
Kemper Sales Tax	\$0.00
Economic Development Projects	\$2,774.97

Section 2: The Accountant is hereby authorized and instructed to draw checks on the respective City bank accounts, in favor of the persons whose salaries and accounts have been allowed as above, amounting to **\$476,196.98** being the total amount of money above appropriated.

Section 3: This ordinance shall take effect and be in force from and after its passage. First reading on **April 19, 2021** read for the second time this **April 19, 2021** since a copy was made available prior to the meeting.

Approved **April 19, 2021** _____
Mayor

Endorsed **April 19, 2021** : I hereby certify that a sufficient sum of money stands to the credit of the City, unappropriated, in the various funds to meet the requirements of this ordinance.

Accountant



RECEIVED

NOTIFICATION OF TEMPORARY STREET CLOSURE / PARKING RESTRICTION REQUEST

Organization: Saint Peter & Paul School Date: 4/8/2021

Name: Mandy Eschelberger Phone Number: 660/621-3185

or Alan Lammeris

Street Closure: SSPP has requested that 7th Street be closed between (streets)

South line of Johnston Park and from (time, day, date) May 4, 2021

201_ to Chestnut Street, 201_
(alley)

8:30-2:30
Raindate May 6th

Parking Restriction:

_____ has requested that parking be restricted on both / _____ side(s)
of _____ between (streets) _____ and _____ from (time,
day, date) _____, 201_ to _____, 201_.

List the residences and businesses adjacent to the requested closure or restriction. Notify the affected parties and obtain a signature to confirm notification. Parties affected by the closure must sign the form in person, no verbal or phone approval allowed. If a party refuses to sign, please indicate the name and note the denial on this application. Persons with objections must appear before the City Council prior to the request approval to voice their concerns. Use reverse side if necessary.

Business Name:

512 Investment Co. LLC

Signature:

[Signature]

Form must be submitted to receive Council approval prior to date of closure or restriction request.
Council meetings are the 1st and 3rd Monday of each month.

Cc: Police Department, Fire Department, Park Department, Public Works

(Rev. 4/28/09)



Boonville Police Department

Chief Bobby Welliver

401 East Morgan Street

Boonville, Mo. 65233

Phone~660-882-2727

Fax~660-882-6604

Email: bwelliver@boonville-mo.org

April 1, 2021

To: Kate Fjell, City Administrator, Mayor Ned Beach, and City Council

Ref: Patrol Vehicle Purchase

I am asking for approval to purchase two new police vehicles. The cost of each vehicle is \$32,442.00 for a total of \$64,884.00.

If approved, we will purchase Dodge Durango AWD Police Package SUV's which are the same as those purchased the last two years. They have proven to be good vehicles for our department.

WK of Boonville has agreed to match the State of Missouri bid price so if approved we will make the purchase from their dealership.

The Ford Explorer Police Package SUV is priced at \$34,968.00 under the state bid. This is the only other SUV similar to the Dodge Durango in the state bid.

Under our purchasing code listed below this purchase will meet the city guidelines.

(m) Local preference in contract award.

a. For purchases in excess of \$30,000.00:

- 1. If the lowest bidding local vendor is a responsible bidder; and**
- 2. The lower responsible bidders are not local vendors; and**

3. If the lowest bidding local vendor's bid is higher than the non-local vendor by no more than two percent or \$2,000.00, whichever is less, then that local vendor should be considered the lowest responsible bidder. This provision shall not be applied to a contract if the funding source prohibits it through law, rule or regulation.

Sincerely Yours,

A handwritten signature in cursive script that reads "Bobby Welliver".

**Bobby Welliver
Chief of Police**

PATROL VEHICLES – MODEL YEAR 2021
(Statewide)

Contract Number: CC210416002

Contractor: Lou Fusz Ford

Line Item 16

UNSPSC Code: 25101702

MAKE/MODEL: 2021 Dodge Durango Pursuit AWD Sport Utility

PRICE: \$33,553.00

EQUIPMENT INCLUDED IN PRICE

2,206.00
31,347.00
1,095.00
32,442.00

ENGINE: 5.7 liter V8 Gasoline, Heavy duty cooling system, Engine oil cooler

ALL WHEEL DRIVE: Two speed, electronically shifted transfer case

TIRES: Four (4), P255/60R18, Spare tire – P255/60R18

WHEELS: Steel wheels with chrome center cap

Includes full size spare

SINGLE KEY LOCKING SYSTEM: Single key system for ignition, door and lift gate, Each vehicle keyed differently, Factory installed keyless entry system with minimum of two (2) keyless entry key fobs

FRONT SEATS: Heavy duty cloth bucket seats, Power adjusting driver seat required

SECOND ROW SEATING: Heavy duty cloth fabric, 60/40 bench seat

THIRD ROW SEATING: None

FLOOR COVERING: Full carpeting, both front and rear

FLOOR MATS: Manufacturer's carpeted mats required

FRONT LICENSE BRACKET: Manufacturer's standard required

DRIVER SIDE SPOTLIGHT: Installed driver side 6" LED spotlight required, Includes spotlight wiring prep package

AUXILIARY DOME LAMP: Factory installed overhead high intensity red/white auxiliary dome lamp, Wired and switched independently from standard dome lamp

TOW PACKAGE: Factory installed tow package with class 4 receiver hitch and trailer wiring

SKID PLATE GROUP: Skid plates for fuel tank, transfer case, front suspension and underbody

SPOTLIGHT: Drive side spotlight installed, 6" LED

COLORS: Black, Billett, Dust Gray, Granite, Violet Red, Blue, White

AVAILABLE OPTIONS
(for line item 16)

Line Item 17 – 3.6 liter V6 gasoline engine

\$2,206.00
(credit)

Line Item 18 – Vinyl in lieu of carpet

\$0.00
(credit)

Line Item 19 – Optional vinyl second row seat

\$120.00

DELIVERY: 90 - 120 days ARO, but after February

WARRANTY: 3 years or 36,000 miles (bumper to bumper)
5 years or 100,000 miles (power train)

PREPARATION & DELIVERY COST FOR COOP MEMBERS & OTHER STATE AGENCIES
(fee pertains to line item 16)

Line Item 20 – Preparation Cost **\$1095.00 per vehicle**

Other State agencies and Cooperative Procurement members may purchase vehicles off this contract. The total vehicle preparation cost stated for the vehicles processed through the contractor's dealership is charged per vehicle.

Line Item 48 – Delivery Cost **\$1.50 per mile**

Total round trip per mile cost for contractor to deliver cooperative procurement member and other state agency vehicles if requested.

Vehicles will be delivered from O'Fallon, Missouri.

RESOLUTION NO. R2021-04

A RESOLUTION OF THE CITY OF BOONVILLE, MISSOURI AUTHORIZING AND APPROVING AN AGREEMENT BETWEEN REMSEL CORPORATION AND THE CITY OF BOONVILLE, MISSOURI PERTAINING TO BOONE POINT SEWER EXTENSION; AND PROVIDING AN EFFECTIVE DATE THEREFORE

WHEREAS, the City of Boonville has solicited and received bids for this project and determined that **Remsel Corporation** represents the best bid pursuant to the purchasing code set forth in Section 2-20 of the City of Boonville Code of Ordinances;

THEREFORE, be it resolved by the City Council of the City of Boonville, Missouri, as follows:

SECTION 1: That a certain Agreement between **Remsel Corporation** and the City of Boonville, Missouri relating to the **Boone Point Sewer Extension** a copy of which is marked "**Exhibit A**" is attached hereto and made a part hereof, is hereby approved.

SECTION 2: That the City Administrator and the City Clerk are hereby authorized to execute and attest said agreement on behalf of the City of Boonville.

SECTION 3: This resolution shall take effect and be in full force from and after its passage and approval.


Passed this 19^h day of April 2021, by the City Council of Boonville, Missouri

Ned Beach, Mayor

ATTEST:

Teresa Studley, City Clerk

Boone Point Sewer Extension CITY OF BOONVILLE, MISSOURI				**ENGINEER'S ESTIMATE**		1		2		3	
Bid Opening April 13, 2021 at 2PM MECO Project No. 454-282				MECO Engineering Co., Inc. 2701 Industrial Drive Jefferson City MO 65109		Remsel Corporation 4949 West I-70 Drive NW Columbia MO 65202		RC Contracting LLC 29566 Inspiration Point Rocky Mount MO 65072		Stockman Construction Corp 2021 Idlewood Road Jefferson City MO 65109	
Item#	Description	Quantity	Unit	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price	Unit Price	Total Price
BASE BID											
1	Mobilization	1	LS	\$ 5,900.00	\$ 5,900.00	\$ 5,500.00	\$ 5,500.00	\$ 5,000.00	\$ 5,000.00	\$ 14,000.00	\$ 14,000.00
2	Traffic Control and Construction Signs	1	LS	\$ 2,000.00	\$ 2,000.00	\$ 250.00	\$ 250.00	\$ 1,500.00	\$ 1,500.00	\$ 1,900.00	\$ 1,900.00
3	Clearing and Grubbing	1	LS	\$ 2,000.00	\$ 2,000.00	\$ 820.00	\$ 820.00	\$ 2,500.00	\$ 2,500.00	\$ 700.00	\$ 700.00
4	Removal of Improvements	1	LS	\$ 2,000.00	\$ 2,000.00	\$ 820.00	\$ 820.00	\$ 2,000.00	\$ 2,000.00	\$ 1,400.00	\$ 1,400.00
5	Rock Excavation	100	CY	\$ 50.00	\$ 5,000.00	\$ 175.00	\$ 17,500.00	\$ 60.00	\$ 6,000.00	\$ 70.00	\$ 7,000.00
6	Pavement Repairs for Sewer Lines	50	LF	\$ 60.00	\$ 3,000.00	\$ 62.00	\$ 3,100.00	\$ 25.00	\$ 1,250.00	\$ 85.00	\$ 4,250.00
7	Full Depth Granular Backfill at Driveways	70	LF	\$ 35.00	\$ 2,450.00	\$ 29.75	\$ 2,082.50	\$ 40.00	\$ 2,800.00	\$ 84.00	\$ 5,880.00
8	8" PVC SDR 35 Sewer Pipe 0' - 6' Deep	608	LF	\$ 34.00	\$ 20,672.00	\$ 27.15	\$ 16,507.20	\$ 42.00	\$ 25,536.00	\$ 39.00	\$ 23,712.00
9	8" PVC SDR 35 Sewer Pipe 6' - 8' Deep	192	LF	\$ 38.00	\$ 7,296.00	\$ 29.75	\$ 5,712.00	\$ 45.00	\$ 8,640.00	\$ 43.00	\$ 8,256.00
10	48" Std. Manhole w/Frame and Lid 0' - 6' Depth	1	EA	\$ 4,500.00	\$ 4,500.00	\$ 2,150.00	\$ 2,150.00	\$ 4,000.00	\$ 4,000.00	\$ 2,700.00	\$ 2,700.00
11	48" Doghouse Manhole w/Frame and Lid 0'-6' Depth	1	EA	\$ 5,000.00	\$ 5,000.00	\$ 3,700.00	\$ 3,700.00	\$ 4,000.00	\$ 4,000.00	\$ 5,300.00	\$ 5,300.00
12	48" Std. Manhole Additional Depth	4	VLF	\$ 150.00	\$ 600.00	\$ 230.00	\$ 920.00	\$ 400.00	\$ 1,600.00	\$ 138.00	\$ 552.00
13	Remove and Replace Sign	1	LS	\$ 500.00	\$ 500.00	\$ 1,700.00	\$ 1,700.00	\$ 2,000.00	\$ 2,000.00	\$ 8,600.00	\$ 8,600.00
14	Remove and Replace Brick Planter	1	LS	\$ 500.00	\$ 500.00	\$ 1,200.00	\$ 1,200.00	\$ 2,000.00	\$ 2,000.00	\$ 2,600.00	\$ 2,600.00
15	Seeding, Fertilizing, Mulching	1	LS	\$ 3,000.00	\$ 3,000.00	\$ 1,550.00	\$ 1,550.00	\$ 2,000.00	\$ 2,000.00	\$ 3,000.00	\$ 3,000.00
PROJECT BASE BID				\$	64,418.00	\$	63,511.70	\$	70,826.00	\$	89,850.00



**City of Boonville
Police Board Minutes From
April 12, 2021
Boonville Police Department
401 East Morgan Street
Boonville, Mo. 65233**

- 1. Meeting was canceled due to conflicting City Council Meeting and lack of agenda items.**

Respectfully Submitted,

A handwritten signature in black ink, appearing to read "Bobby Welliver".

Chief Bobby Welliver

**City of Boonville
Planning and Zoning Commission
Cancelled Meeting
April 13, 2021**

**6:00PM
City Council Chamber
525 East Spring Street
Boonville, MO**

The Tuesday, April 13, 2021 meeting of the Planning and Zoning Commission has been cancelled due to the City Council Sine Die meeting scheduled for the same night. The next scheduled meeting will be Tuesday, May 11, 2021.

VACANT COMMITTEE POSITIONS & COMMITTEE APPOINTMENTS

Airport – 5 Seats – TOTAL NEEDED 4

Vacant – 3

Needs Renewed if they Choose – 1

Architectural Review Committee – 5 seats – TOTAL NEEDED 5

Vacant – 0

Needs Renewed if they Choose – 5

Board of Adjustments – 5 Seats – TOTAL NEEDED 5

Vacant – 3

Needs Renewed if they Choose – 2

Board of Public Works – 4 Seats – TOTAL NEEDED 2

Vacant – 2

Needs Renewed if they Choose – 0

BOCA Board of Appeals—7 Seats – TOTAL NEEDED 1

Vacant – 1

Needs Renewed if they Choose – 0

Boonville Housing Authority Board – 5 Seats

Vacant – 0

Needs Renewed if they Choose – 0

Cemetery Board – 5 Seats – TOTAL NEEDED 3

Vacant – 2

Needs Renewed if they Choose – 1

Fire Board – 5 Seats – TOTAL NEEDED 3

Vacant – 0

Needs Renewed if they Choose – 3

Historic Preservation Commission – 7 Seats – TOTAL NEEDED 3

Vacant – 2 (both seats expire May 2020)

Needs Renewed if they Choose – 1

Industrial Development Authority – 8 Seats – TOTAL NEEDED 3

Vacant – 0

Needs Renewed if they Choose – 3

Local Agency Funding – 5 Seats

Vacant – 0

Needs Renewed if they Choose – 0

Morris Carter – Expires May 2022

Parks and Recreation Board – 5 Seats – TOTAL NEEDED 4

Vacant – 1 (expire May 2022)

Needs Renewed if they Choose – 3

Planning and Zoning Commission – 5 Seats—TOTAL NEEDED 2

Vacant – 1 (seat expires May 2022)

Needs Renewed if they Choose – 1

Josh Snoddy – Expires May 2022

Police Board – 5 Seats

Vacant – 0

Needs Renewed if the Choose – 0

Jonathon T. Morten – Expires May 2023

Brett Cooper – Expires May 2023

Ralph Twillman – Expires May 2023

Street, Alley, and Sanitation Board – 5 Seats – TOTAL NEEDED 3

Vacant – 0

Needs Renewed if the Choose – 3

Tourism Committee – 5 Seats – TOTAL NEEDED 2

Vacant – 0

Needs Renewed if the Choose – 2

Transportation Development District Committee – 5 Seats

Vacant – 0

Public Works Monthly Report
March 2021

WWTP:

Total flow processed – 46,530,000 gallons

Average daily flow – 1,501,000 gallons

Sludge disposed – 101.26

WTP:

Gallons pumped from river – 29,154,000 gallons

Gallons pumped to customer – 30,381,000 gallons

Remarks:

Water Distribution / Sewer Collection:

Replace fire hydrant on Thoma Street

Repaired 4 broken water lines

Installed 20 new meters

Street Department:

Worked on fire-Main Street

Worked on fire-Locust Street

Repaired potholes

Runs street sweeper

Picked up yard waste

Put gravel down, numerous locations

Central Garage:

Vehicles serviced and inspected – 6

Vehicle and equipment repairs – 12

Weather:

Average Temperature –50°

High Temperature – 74° March 10 & 30, 2021

Low Temperature - 25° March 2, 2021

Total Rain – 6.24"

Maximum Rain – 2.65" March 18



REPORT OF OPERATIONS

Boonville, Missouri

Water Treatment Plant

March 2021

Submitted by Alliance Water Resources, Inc.

April 19, 2021

City Council Meeting

**OUR
MISSION**

We partner with communities to deliver the finest water and wastewater services available at a competitive price. We are committed to keeping water safe and clean while serving people and taking care of communities with improved technical operations, careful management and financial oversight, and ensured regulatory compliance.

**Alliance Water
Resources, Inc.**

**206 S. Keene St.
Columbia, MO
65201**

(573)874-8080

March 2021

Administrative

- No report at this time

Treatment

- Normal operations and maintenance were performed this month.
- The staff found the generator at the Main St. Booster Pump Station with an alarm for "Low Coolant". About a quart of coolant was added and we are watching this closely.
- The staff repaired the chain and sprocket on the Pre-Sed Clarifier.
- The staff found an electrical problem in the Motor Control Center that operates the Pre-Sed Clarifier. An electrical contractor has been contacted.
- The staff repaired the Copper Sulfate Feed line.
- The staff install a new paper towel dispenser in the women's bathroom.
- The staff operated the water treatment plant during the fire on Main St. The water treatment plant treated approximately an additional 350,000 gallons of water for fire suppression.
- The staff replaced a belt on the Power Vent on the 1-million-gallon-clearwell. Utility Services was contacted due to this being maintained by a Maintenance Service Contract.
- Shane Newland Repair was at the Water Treatment Plant to replace the chlorine leak detector sensors, rebuild chlorine feeder #1 and #3, rebuild the tank mount vacuum control valves and calibrated the chlorine leak detector sensors.

Project Updates

- No report at this time

Safety

- The staff conducted its Monthly Safety meeting.
- The staff conducted its monthly check of chlorine leak detector sensors.
- The staff conducted its weekly inspection of emergency eyewash stations and emergency showers.
- The staff conducted its monthly crane inspection in the Chlorine Storage Room.

WATER RESOURCES®
Alliance
Professional Water and Wastewater Operations
OPERATIONS REPORT – Boonville


Regulatory

- Ten water samples were collected throughout the water distribution system. All samples tested were absent of Total Coliform and E-Coli. Report was sent to DNR. (see attached)
- Water samples were collected for monthly Total Organic Carbon (TOC) testing, quarterly Fluoride testing, and were transported to the State Health Lab.

Concerns for the Month.

- The staff found an attempted break-in at the River Pump House. Someone tried to break a padlock with a rock. They did not get inside nor did they damage the padlock. The Boonville Police Dept was contacted for a report. They took pictures and a statement was made of what was found.


Photos



WATER RESOURCES®
Alliance
Professional Water and Wastewater Operations
OPERATIONS REPORT – Boonville



MISSOURI DEPARTMENT OF NATURAL RESOURCES
WATER PROTECTION PROGRAM - PUBLIC DRINKING WATER BRANCH
**DISINFECTION AND TURBIDITY REPORT FOR SURFACE WATER
SYSTEMS < 10,000 POPULATION**

PWS NAME CITY OF BOONVILLE		PWS - ID MO3010089		MONTH March			
ADDRESS 901 RIVIERA DRIVE		PHONE (660) 882-4021		2021			
CITY BOONVILLE, MO		ZIP CODE 65233	COUNTY COOPER COUNTY		PLANT Main Plant		
<i>(See instructions on back of this sheet)</i>							
DISTRIBUTION DISINFECTION 1. Number of samples analyzed, A: <u>10</u> 2. Number of samples below 0.2 mg/L, B: <u>0</u> $[(A-B)/A \times 100 = C: \quad \underline{100} \quad \% \text{ meeting}]$ minimum disinfection required. 3. Avg. dsfctnt residual for month: <u>2.20</u> mg/l			TURBIDITY 1. Total number measurements taken monthly, A: <u>162</u> 2. number of measurements below 0.3 NTU, B: <u>162</u> $[B/A \times 100 = C: \quad \underline{100} \quad \% \text{ meeting}]$ turbidity requirements.				
Date	Hours of Operation	Finished Water Temperature (C)	Lowest disinfectant at entrance to distribution system (mg/L) ☐ Free Chlorine ☒ Chloramines	Highest turbidity measurement of the day	Duration disinfectant fell below 0.5 mg/L free Cl2 or 1 mg/L chloramines	Value of turbidity measurements that exceed	
						1 NTU	5 NTU
1	5.00	8	1.84	0.04	0	0	0
2	5.50	6	1.89	0.04	0	0	0
3	4.75	7	1.80	0.06	0	0	0
4	4.25	7	1.97	0.06	0	0	0
5	5.00	7	1.92	0.05	0	0	0
6	4.75	8	1.86	0.04	0	0	0
7	4.50	11	2.01	0.04	0	0	0
8	4.50	10	2.20	0.04	0	0	0
9	4.75	11	2.16	0.04	0	0	0
10	4.25	13	2.14	0.04	0	0	0
11	5.75	10	2.11	0.03	0	0	0
12	4.25	12	1.57	0.03	0	0	0
13	4.00	12	1.89	0.03	0	0	0
14	3.75	12	1.98	0.03	0	0	0
15	7.00	13	1.99	0.05	0	0	0
16	4.00	13	1.14	0.04	0	0	0
17	4.50	14	1.51	0.03	0	0	0
18	5.00	12	1.25	0.07	0	0	0
19	4.75	11	1.43	0.06	0	0	0
20	5.00	10	1.31	0.04	0	0	0
21	4.50	11	1.45	0.04	0	0	0
22	4.50	14	1.63	0.03	0	0	0
23	4.50	16	1.68	0.03	0	0	0
24	5.75	12	1.52	0.03	0	0	0
25	6.00	12	1.98	0.03	0	0	0
26	4.75	13	2.34	0.03	0	0	0
27	4.75	12	2.35	0.03	0	0	0
28	4.50	12	2.40	0.03	0	0	0
29	4.25	13	2.35	0.03	0	0	0
30	5.00	14	2.26	0.04	0	0	0
31	4.25	14	2.42	0.04	0	0	0
Name of Person Preparing Report Todd W. Baslee			Signature of Responsible Official 		DATE 4/7/2021		

MO 780-1904 (12-04)

INSTRUCTIONS: DISINFECTION AND TURBIDITY REPORT FOR SURFACE WATER SYSTEMS < 10,000 POPULATION

1. Please fill out information completely and legibly.

Distribution Disinfection

1. On Line 1., enter the total number of samples from the distribution system that were analyzed for residual disinfectant concentration (total chlorine or combined chlorine) during the month. The residual disinfectant concentration measurement must be taken at the same time and location as your routine monthly coliform samples. This is the value for A.
2. On line 2., enter the number of samples for the distribution systems that had less than 0.2 mg/l residual disinfectant concentration. This is the value for B.
3. Subtract B, from A. (A-B). Divide that number by A. Then multiply by 100. This will give you the value for C. For example: if A = 20 and B = 3, then C = $[(20-3)/20] \times 100 = 85\%$
4. On line 3., enter the arithmetic average for all residual disinfectant samples taken during the month.

Turbidity:

1. On line 1., enter the total number of combined filter turbidity measurements taken during the month. This is the value for A.
2. On line 2., enter the number of combined filter turbidity measurements taken during the month, which are less than or equal to 0.3 NTU. This is the value for B.
3. Divide B, by A. (B/A). Then multiply that number by 100. This will give you the value for C. For example: if A = 120 and B = 117, then C = $(117/120) \times 100 = 97.5\%$

Hours of Operation

For each day, record the number of hours each water treatment plant was in operation.

Finished Water Temperature

For each day, record the temperature of water entering the distribution.

Lowest Residual Disinfectant at Entrance to Distribution System:

For each day, record the lowest measurement of residual disinfectant (mg/L) in water entering the distribution system (free available chlorine or chloramines).

Duration Residual Disinfectant Fell Below Requirement:

For each day, record the duration (hours, tenths) of each period (if any) when the residual disinfectant concentration in water entering the distribution system fell below 0.5 mg/L free chlorine or 1 mg/L chloramines. Note: should this occur, the public water system must notify the department as soon as possible, but no later than by the end of the next business day.

Value of Turbidity Measurements that exceed 1 NTU and 5 NTU:

For each day, record the value of any turbidity measurements taken during the month, which exceed 1 NTU and 5 NTU. Note: should this occur, the public water system must notify the department as soon as possible, but no later than by the end of the next business day.

INDIVIDUAL FILTER MONITORING & REPORTING

1. Was filter continuously monitored for turbidity and results recorded every 15 minutes?
2. Was there a failure of the continuous turbidity monitoring equipment?

YES

NO

If yes on 2., was the equipment repaired within 5 working days, or 14 days with department approval?

N/A

3. Was any individual filter level >1.0 NTU in two (2) consecutive recording fifteen (15) minutes apart?

NO

{If YES, perform "follow-up actions" no. 1}

4. Was any individual filter level, for three (3) months in a row > 1.0 NTU in two (2) consecutive recordings, fifteen (15) minutes apart?

NO

{If YES, perform "follow-up actions" no.2}

5. Was any individual filter turbidity level >2.0 NTU in two (2) consecutive recordings, fifteen (15) minutes apart for two (2) consecutive months?

NO

{If YES, perform "follow-up actions" no. 3}

"FOLLOW-UP ACTIONS to PERFORM"

1. Report filter number(s); turbidity measurements which exceed 1 NTU; and date(s) the exceedance(s) occurred and causes if known.
2. Conduct a "Self-Assessment" of the filter(s) within fourteen (14) days of the triggering event. The system must report the date the self-assessment was triggered and the date it was completed.
3. The system must arrange to have a "Comprehensive Performance Evaluation" (CPE) performed not later than sixty (60) days following the triggering event. The CPE must be completed and submitted to the department within 120 following the trigger event.

The Missouri Department of Natural Resources-Public Drinking Water Branch recommends contacting your local regional office if any individual filter exceeds 1.0 NTU, the lowest trigger in the individual filter standards.



MISSOURI DEPARTMENT OF NATURAL RESOURCES
WATER PROTECTION PROGRAM
MICROBIOLOGICAL ANALYSIS REPORT

PUBLIC WATER SYSTEM NAME City of Boonville			LABORATORY NAME Boonville Water Plant		LABORATORY TELEPHONE NUMBER WITH AREA CODE 660-882-4021		
STREET ADDRESS 901 Riviera Drive			CERTIFICATION NUMBER #15				
CITY Boonville		ZIP CODE 65233					
COUNTY Cooper		ID NUMBER MO3010089		SAMPLE COLLECTOR NAME OR INITIALS Brian Weber/Richard Vollmer			
SAMPLE DATE MO/DAY/YR	SAMPLE TYPE	COLLECTION POINT	SAMPLE LOCATION ID	SAMPLE RESULTS		CHLORINE RESIDUAL (mg/L)	
				TOTAL COLIFORM	FECAL E-COLI	TOTAL	FREE
03/09/2021	R	614 Santa Fe Trail	16	A	A	2.6	X
03/09/2021	R	717 Main St	14	A	A	2.0	X
03/09/2021	R	1121 Main St	13	A	A	2.1	X
03/09/2021	R	2441 Pioneer St	23	A	A	2.1	X
03/09/2021	R	900 Carla Dr	17	A	A	2.2	X
03/22/2021	R	940 Oregon Trail	24	A	A	1.5	X
03/22/2021	R	1550 W Ashley Rd	11	A	A	1.4	X
03/22/2021	R	1016 Hildell Dr	18	A	A	2.3	X
03/22/2021	R	1012 Jefferson Rd	19	A	A	3.2	X
03/22/2021	R	1216 E Morgan St	10	A	A	2.6	X
TOTAL ROUTINE SAMPLE ANALYZED Ten (10)			MONITORING VIOLATION ☐ Yes ☐ No			MCL VIOLATION ☐ Yes ☐ No	
TITLE Chief Plant Operator/Chief Analyst			DATE 04/07/2021				
SIGNATURE 							

INSTRUCTIONS FOR COMPLETING MICROBIOLOGICAL ANALYSIS REPORT

This form must be completed and forwarded to the Missouri Department of Natural Resources, Water Protection Program - Public Drinking Water Branch, P.O. Box 176, Jefferson City, Missouri 65102 as soon as the water system's monthly monitoring is completed, but in no case later than the 10th of the month following the month for which monitoring was done.

1. **Address Block** - Complete the name and address of the public water system. The 7-digit public water system identification number must be entered to account for the samples.

2. **Laboratory Name** - Complete the laboratory name and certification number.

3. **Sample Date** - Enter the date the sample was taken using two digits for the month, day and year.

4. **Collection Point** - Give the address or name of the sample collection point. On repeat samples also indicate if the sample was taken from the upstream, downstream or original location.

5. **Sample Type** - Indicate the type of sample by putting the corresponding letter in the box. There are 4 types of samples as follows:

R. Routine - Regular monthly samples.

P. Repeats - A series of three or four repeats (four if the water system is only required to take 1 routine per month) must be taken for each sample that tests positive for coliform. All must be taken on the same day, within 24 hours of being notified of the coliform positive sample. One must be taken from the site of the original bad sample, one within five service connections upstream and one five service connections downstream. The fourth, if necessary, may be collected anywhere within the 10 service connections.

WL. Source/Well: Groundwater systems that do not provide 4-log treatment must collect a "Source/Well" sample in addition to the Repeat samples. One Source/Well sample is required at each well in service for each total coliform positive routine sample. If the water system is only required to take 1 routine per month, the Source sample can count as a fourth Repeat sample, but must be listed as a Source/Well sample.

L. Replacement - All routine and repeat samples not analyzed for various reasons listed below (LA, OUT, CR, BIT, etc.) are invalid and must be replaced with a single sample from the same location within 24 hours of being notified. Any other sample previously submitted but not analyzed should also be replaced.

S. Special - Any sample that does not count for the systems monitoring record, such as samples used to check disinfection practices on repairs or new construction.

6. **Sample Location ID** - ID number to identify routine sampling points. Also, used to tie repeat samples to the original positive sample. The ID Number can be up to 10 characters.

7. **Sample Results** - Sample results must be reported in the following fashion:

Code	
P	A sample that is positive for total coliform, fecal coliform or E. coli. The total coliform count may be indicated in lieu of P.
A	A sample where total coliform, fecal coliform or E. coli. are absent.
LA	Sample was not analyzed due to lab accident.
CWO	Confluent bacterial growth without coliform.
TWO	Bacterial growth too numerous to count without coliform.
OUT	Sample was not analyzed because more than 30 hours expired between collection of the sample and receipt for examination.
CR	Sample was not analyzed because the chlorine residual was too high.
QNS	Sample was not analyzed because the quantity of water was insufficient.
INC	Sample was not analyzed due to incomplete or inaccurate information on the sample card.
BTF	Sample was not analyzed because the bottle was too full.
MBN	Sample was not analyzed because the sample bottle was not numbered.
PD	Sample was not analyzed because it was post dated.
BCT	Sample was not analyzed because bottle cap was too tight.
BIT	Sample was not analyzed because bottle was broken in transit.
HSD	Sample was not analyzed because of excessive sediment.
NSC	Samples was not analyzed because of nonstandard container.

8. **Chlorine Residual** - If the sample is from a chlorinated supply, the chlorine residual measured at the sample collection point must be registered.



MISSOURI DEPARTMENT OF NATURAL RESOURCES
WATER PROTECTION PROGRAM – PUBLIC DRINKING WATER BRANCH
MONTHLY UV OPERATION REPORT

1. PUBLIC WATER SYSTEM NAME City of Boonville		PWS ID MO3010089		2. MONTH / YEAR March 2021	
ADDRESS 901 Riviera Drive		TELEPHONE NUMBER WITH AREA CODE 660-882-4021		EMAIL ADDRESS tbaslee@alliancewater.com	
CITY Boonville		ZIP CODE 65233		COUNTY Cooper	

3. Unit	4. Total Run Time (hrs)	5. Total Volume (MG)	6. Dosage (mJ/cm ²)	7. Number of Off-Specification Events	8. Total Off-Specification Volume (MG)
1 - Transfer	148.0	30.381	3.8	0	0.00
2 - Tower	0.00	0.00	N/A	N/A	N/A

9. TOTAL VOLUME OF OFF-SPECIFICATION WATER PRODUCED (MG) [A] 0.00		10. TOTAL VOLUME OF WATER PRODUCED (MG) [B] 30.381	
11. PERCENT OF OFF-SPECIFICATION WATER PRODUCED ((A)/[B]*100) 0.00%		12. PERCENT OF OFF-SPECIFICATION WATER PRODUCED <5 PERCENT ☒ YES ☐ NO	

13. Of the 8 sensors, 8 have been checked for calibration and 8 were within the acceptable range of tolerance.

14. The following reactors had a sensor correction factor	Unit	Sensor correction factor

15. COMMENTS

16. NAME OF PERSON PREPARING REPORT Todd Baslee	17. SIGNATURE OF RESPONSIBLE OFFICIAL 	DATE 04/07/2021
--	---	--------------------

MO 780-2208 (06-13)

INSTRUCTIONS FOR COMPLETING MONTHLY UV OPERATION REPORT

This form must be completed and forwarded to the Missouri Department of Natural Resources, Water Protection Program - Public Drinking Water Branch, P.O. Box 176, Jefferson City, MO 65102-0176 as soon as the water system's monthly monitoring is completed, but in no case later than the 10th day of the month following the month for which monitoring was done

1. **Address Block** - Complete the name, 7-digit public water system identification number and address of the public water system.
2. **Month** - Enter the month and year for which the monitoring was completed.
3. **Unit** - Enter the unit name/number identifying each UV reactor unit.
4. **Total Run Time** (hrs) - Enter the total number of hours that each UV reactor unit was operating.
5. **Total Volume** (MG) - Enter the total volume of water passing through each UV reactor unit in million gallons.
6. **Dosage** (mJ/cm²) - Enter the lowest UV dosage delivered by each UV reactor unit in millijoules per square centimeter. (This will be below the dosage required for log removal if there was an off-specification event.)
7. **Number of Off-Specification Events** - Enter the number of off-specification events for each UV reactor unit. An off-specification event is when the actual dosage drops below the required dosage for log removal. (The required dosages for log removal are provided in the table below.)

UV Dose Requirements (mJ/cm²)

Target Pathogen	Log Inactivation							
	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0
Cryptosporidium	1.6	2.5	3.9	5.8	8.5	12	15	22
Giardia	1.5	2.1	3.0	5.2	7.7	11	15	22
Virus	39	58	79	100	121	143	163	186

8. **Total Off-Specification Volume** (gal) - Enter the total volume of off-specification water produced by each UV reactor unit in million gallons.
9. **Total Volume of Off-Specification Water Produced** (MG) - Enter the total sum of the volumes entered in column 8. This is the value for [A].
10. **Total Volume of Water Produced** (MG) - Enter the total sum of the volumes entered in column 5. This is the value for [B].
11. **Percent of Off-Specification Water Produced** - Divide [A] by [B]. Then multiply that number by 100. For example: if [A] = 2 and [B] = 150, then $2 \div 150 \times 100 = 1.33$ percent
12. **Facility Meets Off-Specification Requirement** - If item 11 is less than 5 percent, mark yes. If item 11 is greater than 5 percent, mark no.
13. **Sensor Calibration** - Enter the number of sensors, how many were checked for calibration, and how many were within the acceptable range of tolerance.
14. **Sensor Correction Factor** - Enter the unit name/number identifying each UV reactor unit and the corresponding sensor correction factor if applicable.
15. **Comments** - Enter any additional comments.
16. **Name of Person Preparing Report** - Enter the name of the person who prepared the report.
17. **Signature of Responsible Official** - Signature of responsible official.



Missouri Gaming Commission


State/Local Allocation of Gaming Revenues

RPT MGC/3

For the Period 3/1/2021 through 3/31/2021

Year beginning 3/1/2021

Gaming Date	Day	Admission Tax Remitted	Gaming Tax Remitted	Total Tax Remitted	State & Local Portion of AdmTax	State Portion of Gaming Tax	Local Portion of Gaming Tax	Total Local Adm & Gaming Tax
Isle of Capri IB								
03/01/2021	Monday	\$4,778.00	\$36,244.91	\$41,022.91	\$2,389.00	\$32,620.42	\$3,624.49	\$6,013.49
03/02/2021	Tuesday	\$4,984.00	\$36,746.04	\$41,730.04	\$2,492.00	\$33,071.44	\$3,674.60	\$6,166.60
03/03/2021	Wednesday	\$6,142.00	\$46,415.31	\$52,557.31	\$3,071.00	\$41,773.78	\$4,641.53	\$7,712.53
03/04/2021	Thursday	\$6,554.00	\$45,519.94	\$52,073.94	\$3,277.00	\$40,967.95	\$4,551.99	\$7,828.99
03/05/2021	Friday	\$9,490.00	\$63,036.97	\$72,526.97	\$4,745.00	\$56,733.27	\$6,303.70	\$11,048.70
03/06/2021	Saturday	\$13,246.00	\$102,064.44	\$115,310.44	\$6,623.00	\$91,858.00	\$10,206.44	\$16,829.44
03/07/2021	Sunday	\$7,392.00	\$56,078.54	\$63,470.54	\$3,696.00	\$50,470.69	\$5,607.85	\$9,303.85
03/08/2021	Monday	\$4,192.00	\$33,122.30	\$37,314.30	\$2,096.00	\$29,810.07	\$3,312.23	\$5,408.23
03/09/2021	Tuesday	\$5,356.00	\$35,081.99	\$40,437.99	\$2,678.00	\$31,573.79	\$3,508.20	\$6,186.20
03/10/2021	Wednesday	\$5,764.00	\$41,244.93	\$47,008.93	\$2,882.00	\$37,120.44	\$4,124.49	\$7,006.49
03/11/2021	Thursday	\$6,970.00	\$43,415.11	\$50,385.11	\$3,485.00	\$39,073.60	\$4,341.51	\$7,826.51
03/12/2021	Friday	\$9,628.00	\$80,101.31	\$89,729.31	\$4,814.00	\$72,091.18	\$8,010.13	\$12,824.13
03/13/2021	Saturday	\$17,154.00	\$121,660.12	\$138,814.12	\$8,577.00	\$109,494.11	\$12,166.01	\$20,743.01
03/14/2021	Sunday	\$8,252.00	\$73,374.05	\$81,626.05	\$4,126.00	\$66,036.65	\$7,337.40	\$11,463.40
03/15/2021	Monday	\$5,260.00	\$35,049.35	\$40,309.35	\$2,630.00	\$31,544.42	\$3,504.93	\$6,134.93
03/16/2021	Tuesday	\$5,968.00	\$48,331.67	\$54,299.67	\$2,984.00	\$43,498.50	\$4,833.17	\$7,817.17
03/17/2021	Wednesday	\$7,360.00	\$45,087.66	\$52,447.66	\$3,680.00	\$40,578.89	\$4,508.77	\$8,188.77
03/18/2021	Thursday	\$8,488.00	\$54,730.90	\$63,218.90	\$4,244.00	\$49,257.81	\$5,473.09	\$9,717.09
03/19/2021	Friday	\$12,446.00	\$98,669.34	\$111,115.34	\$6,223.00	\$88,802.41	\$9,866.93	\$16,089.93
03/20/2021	Saturday	\$16,318.00	\$125,817.96	\$142,135.96	\$8,159.00	\$113,236.16	\$12,581.80	\$20,740.80
03/21/2021	Sunday	\$9,178.00	\$81,009.04	\$90,187.04	\$4,589.00	\$72,908.14	\$8,100.90	\$12,689.90
03/22/2021	Monday	\$5,676.00	\$35,034.65	\$40,710.65	\$2,838.00	\$31,531.19	\$3,503.46	\$6,341.46
03/23/2021	Tuesday	\$6,454.00	\$42,982.79	\$49,436.79	\$3,227.00	\$38,684.51	\$4,298.28	\$7,525.28
03/24/2021	Wednesday	\$7,440.00	\$67,713.06	\$75,153.06	\$3,720.00	\$60,941.75	\$6,771.31	\$10,491.31
03/25/2021	Thursday	\$8,094.00	\$54,746.12	\$62,840.12	\$4,047.00	\$49,271.51	\$5,474.61	\$9,521.61
03/26/2021	Friday	\$12,436.00	\$82,244.25	\$94,680.25	\$6,218.00	\$74,019.83	\$8,224.42	\$14,442.42
03/27/2021	Saturday	\$13,874.00	\$96,479.95	\$110,353.95	\$6,937.00	\$86,831.96	\$9,647.99	\$16,584.99
03/28/2021	Sunday	\$8,450.00	\$50,221.61	\$58,671.61	\$4,225.00	\$45,199.45	\$5,022.16	\$9,247.16
03/29/2021	Monday	\$5,066.00	\$36,247.94	\$41,313.94	\$2,533.00	\$32,623.15	\$3,624.79	\$6,157.79
03/30/2021	Tuesday	\$5,624.00	\$42,752.04	\$48,376.04	\$2,812.00	\$38,476.84	\$4,275.20	\$7,087.20
03/31/2021	Wednesday	\$5,954.00	\$49,636.93	\$55,590.93	\$2,977.00	\$44,673.24	\$4,963.69	\$7,940.69
Casino Report Totals:		\$253,988.00	\$1,860,861.22	\$2,114,849.22	\$126,994.00	\$1,674,775.15	\$186,086.07	\$313,080.07
Casino YTD Totals:		\$253,988.00	\$1,860,861.22	\$2,114,849.22	\$126,994.00	\$1,674,775.10	\$186,086.12	\$313,080.12



Thursday, April 8, 2021

33

*Note : The figures contained in this report may be subject to adjustment.

Wide Area Progressive Jackpot Contribution Reported as Manual Jackpot on Third Saturday of Month

33 Page 9 of 13